according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

SECTION 1. IDENTIFICATION

Product name : TRIMMIT Design code : A8164F

Product Registration number : 35063

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park

Guelph ON N1G 4Z3

Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address

Recommended use of the chemical and restrictions on use

Recommended use : Plant growth regulator

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation) : Category 4

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :





Signal word : Warning

Hazard statements : H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P261 Avoid breathing mist or vapours.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection/ hearing protection.

Response:

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
paclobutrazol (ISO)	paclobutrazol (ISO)	76738-62-0	22.9358
propane-1,2-diol	propane-1,2-diol	57-55-6	>= 1 - < 5 *
Residues (petroleum), catalytic reformer frac- tionator, sulfonated, polymers with formal- dehyde, sodium salts	Residues (pe- troleum), cata- lytic reformer fractionator, sulfonated, pol- ymers with for- maldehyde, sodium salts	68425-94-5	>= 1 - < 5 *
methanol	methanol	67-56-1	>= 0.1 - < 1 *

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

according to the Hazardous Products Regulations



TRIMMIT

Version **Revision Date:** SDS Number: Date of last issue: 10/18/2023 S00007624950 Date of first issue: 10/18/2023 1.1 02/27/2024

Immediate medical attention is required.

If swallowed, seek medical advice immediately and show this If swallowed

container or label.

Nonspecific

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

No symptoms known or expected.

Harmful if inhaled.

Suspected of damaging fertility or the unborn child.

Notes to physician There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Water spray

Unsuitable extinguishing

Specific hazards during fire-

media

fighting

Do not use a solid water stream as it may scatter and spread

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Environmental precautions

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

according to the Hazardous Products Regulations



TRIMMIT

Version Revision Date: SDS Number: Date of last issue: 10/18/2023
1.1 02/27/2024 S00007624950 Date of first issue: 10/18/2023

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs. Physically and chemically stable for at least 2 years when

stored in the original unopened sales container at ambient temperatures.

Further information on stor-

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
paclobutrazol (ISO)	clobutrazol (ISO) 76738-62-0		5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA (Va- pour and 155 mg/m3 aerosols)		CA ON OEL
		TWA (aero- sol)	10 mg/m3	CA ON OEL
methanol	67-56-1	TWA	200 ppm 262 mg/m3	CA AB OEL
		STEL	250 ppm 328 mg/m3	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	250 ppm	CA BC OEL
		TWAEV	200 ppm 262 mg/m3	CA QC OEL
		STEV	250 ppm 328 mg/m3	CA QC OEL
		TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible	15 mg/l	ACGIH BEI

according to the Hazardous Products Regulations



TRIMMIT

Version Revision Date: SDS Number: Date of last issue: 10/18/2023 1.1 02/27/2024 S00007624950 Date of first issue: 10/18/2023

exposure ceases)

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene ad-

vice.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Suitable respiratory equipment: Respirator with a half face mask

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection

No special protective equipment required.

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : off-white to beige

Odour : sweetish

Odour Threshold : No data available

pH : 5 - 9 (25 °C)

Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Method: Seta closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.09 g/cm3 (25 °C)

Solubility(ies)

Solubility in other solvents : Miscible

Solvent: Water

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 495 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 33.4 - 84.7 mPa.s (40 °C)

41.1 - 95.5 mPa.s (20 °C)

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 34.8 mN/m, %25 °C

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

No dangerous reaction known under conditions of normal use.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): 2,958 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.99 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

paclobutrazol (ISO):

Acute oral toxicity : LD50 (Rat, female): 1,336 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 3.13 mg/l

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

methanol:

Acute oral toxicity : Assessment: The component/mixture is toxic after single in-

gestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : Assessment: The component/mixture is toxic after single con-

tact with skin.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Components:

paclobutrazol (ISO):

Species : Rabbit

Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species : reconstructed human epidermis (RhE)

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Components:

paclobutrazol (ISO):

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

propane-1,2-diol:

Result : No eye irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Test Type : mouse lymphoma cells

Species : Mouse

Result : Does not cause skin sensitisation.

Components:

paclobutrazol (ISO):

Species : Guinea pig

Result : Does not cause skin sensitisation.

propane-1,2-diol:

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Components:

paclobutrazol (ISO):

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

methanol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

paclobutrazol (ISO):

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

methanol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

paclobutrazol (ISO):

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments., Animal testing did not show any effects

on fertility.

propane-1,2-diol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation Animal testing did not show any effects on foetal develop-

ment.

methanol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT - single exposure

Not classified due to lack of data.

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

methanol:

Target Organs : Eyes, Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

STOT - repeated exposure

Not classified due to lack of data.

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Components:

paclobutrazol (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 23.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 29 mg/l

Exposure time: 48 h

EC50 (Mysidopsis bahia (opossum shrimp)): > 9 mg/l

according to the Hazardous Products Regulations



TRIMMIT

Version Revision Date: SDS Number: Date of last issue: 10/18/2023 1.1 02/27/2024 S00007624950 Date of first issue: 10/18/2023

Exposure time: 72 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

15.2 mg/l

Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.0283 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.002 mg/l

End point: Growth rate Exposure time: 7 d

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.022

mg/l

Exposure time: 14 d

NOEC (Myriophyllum spicatum (Eurasian watermilfoil)):

0.0028 mg/l

End point: Growth rate Exposure time: 14 d

M-Factor (Acute aquatic tox-

Toxicity to fish (Chronic tox-

icity)

icity)

: 10

10

NOEC (Pimephales promelas (fathead minnow)): 0.049 mg/l

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

io tovioity)

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0.32 mg/l

Exposure time: 22 d

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h
Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Persistence and degradability

Components:

paclobutrazol (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 167 - 1,378 d

Remarks: Persistent in water.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

paclobutrazol (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

paclobutrazol (ISO):

Distribution among environ-

mental compartments

Stability in soil : Dissipation time: 43 - 634 d

Percentage dissipation: 50 % (DT50)

Remarks: Moderately mobile in soils

Remarks: Persistent in soil.

Other adverse effects

Components:

paclobutrazol (ISO):

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

methanol:

Results of PBT and vPvB

assessment

: Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

according to the Hazardous Products Regulations



TRIMMIT

SDS Number: Version **Revision Date:** Date of last issue: 10/18/2023 S00007624950 Date of first issue: 10/18/2023 02/27/2024 1.1

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Refer to the product label for specific disposal/recycling infor-

mation

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

If recycling is not practicable, dispose of in compliance with

local regulations.

Refer to the product label for specific disposal/recycling infor-Contaminated packaging

mation

Empty remaining contents. Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PACLOBUTRAZOL)

Class 9 Ш Packing group 9 Labels Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. UN 3082

Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

964

(PACLOBUTRAZOL)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-964

ger aircraft)

Environmentally hazardous yes

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

according to the Hazardous Products Regulations



TRIMMIT

Version Revision Date: SDS Number: Date of last issue: 10/18/2023 1.1 02/27/2024 S00007624950 Date of first issue: 10/18/2023

net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PACLOBUTRAZOL)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PACLOBUTRAZOL)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(PACLOBUTRAZOL)

Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4,

Dangerous Goods Safety Marks, if transported solely on land

by road vehicle or railway vehicle.

1.45.1. SOR/2008-34

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Warning, contains the allergen 1,2-benzisothiazolin-3-one

NPRI Components : methanol

The components of this product are reported in the following inventories:

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

paclobutrazol (ISO)

polysiloxanes

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

Syngenta : Syngenta Occupational Exposure Limit

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average CA BC OEL / STEL : short-term exposure limit

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

according to the Hazardous Products Regulations



TRIMMIT

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/18/2023

 1.1
 02/27/2024
 S00007624950
 Date of first issue: 10/18/2023

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 02/27/2024 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN